


F

SILENCE ON A GRAND SCALE

FLUFFO

FRAME

Non-flammable, large-format acoustic frames



The Fluffo FRAME collection introduces a new dimension of silence to the world of acoustic solutions – larger, calmer, and confident in its elegant simplicity.

F

It is the first collection in the Fluffo portfolio to be offered in such a large format. Its acoustic performance is based on two carefully selected materials: a taut, smooth surface of decorative fabric stretched over a rigid aluminium frame.

Fluffo FRAME is available in 12 formats of varying sizes. The panels can be used individually or combined to create large-scale wall compositions covering extensive surface areas.

Designed for interiors where acoustic comfort must be matched by visual sophistication, Fluffo FRAME brings order, defines the character of a space, and introduces a sense of monumental calm.

With Class A acoustic performance and a fire-safe classification, the collection is ideally suited to demanding public spaces, workplaces, and commercial interiors.



FLUFFO FRAME



ACOUSTICS:
 $\alpha_w = 0,95 - 1,00$
(depending
on the fabric)




FLAMMABILITY:
non-flammable,
B-s1 d0




COLOURS:
48+7 colours
of fabric
and frames



INSTALLATION:
on dedicated
hangers




CUSTOMISATION:
custom formats
available
on request



THICKNESS:
60 mm



12 FORMATS



decorative, acoustic fabric

mineral wool secured
with veil, 50 mm thickness

rigid aluminium frame,
60 mm height

PET sheet backing
5 mm thickness

Fluffo FRAME 135x215,
Fluffo CALM fabric - Basalt,
frame - Arctic

- Fluffo FRAME frames and fabrics

A thoughtfully curated combination that shapes the unique character of the Fluffo FRAME collection. The fabric creates a taut monochromatic surface, while the refined aluminium frame defines its edges and lends the composition a crisp, geometric elegance.

Each material has been carefully selected to complement the other, resulting in a cohesive solution that excels both visually and acoustically.

Fluffo FRAME is available in two fabric collections: **Fluffo CALM** and **Fluffo VIVID**.

These fabrics are part of our proprietary selection, sourced from specialised manufacturers in Turkey and France. They were chosen for their acoustic performance, flame-retardant properties, and the visual impact of their colour and texture in large-format installations.

FRAMES & FABRICS

F

THE CALM FABRIC

A soft-touch decorative fabric distinguished by its subtle fine-ribbed texture.

Available in a palette of 26 matte, muted colours, Fluffo CALM helps create interiors with a refined and tranquil character.



ALABASTER
ALABASTER



MACCHIATO
MACCHIATO



TRAWERTYN
TRAVERTINE



SAWANNA
SAVANNA



PIASKOWIEC
SANDSTONE



PLATYNA
PLATINUM



NUDE
NUDE



MORGANIT
MORGANITE



TAUPE
TAUPE



CYNAMON
CINNAMON



KARDAMON
CARDAMON



MARAKESZ
MARRAKESH



KANION
CANYON



MGŁA
MIST



POPIÓŁ
ASH



HORYZONT
HORIZON



EUKALIPTUS
EUCALIPTUS



BLUSZCZ
IVY



FUNKIA
HOSTA



INDYGO
INDIGO



KAMYK
PEBBLE



ŁUPEK
SLATE



WENG
WENG



TRUFLA
TRUFFLE




BAZALT
BASALT



TURMALIN
TOURMALINE

THE VIVID FABRIC

Available in a palette of 22 rich, vibrant colours, Fluffo VIVID introduces a striking colour statement to interior spaces. The fabric is characterised by a dense woven structure and a matte surface with a soft, tactile finish that adds depth and warmth to the design.




GARDENIA
GARDENIA



PŁÓTNO
CANVAS



TWEED
TWEED



GORCZYCA
SINAPIS



AKSAMITKA
MARIGOLD



MANDARYNKA
TANGERINE



LAWA
LAVA



GUAWA
GUAVA



HIBISKUS
HIBISCUS



RED VELVET
RED VELVET



LODOWIEC
GLACIER



ROZMARYN
ROSEMARY



KAFFIR
KAFFIR LIME



MECH
MOSS



BORA-BORA
BORA BORA



KORFU
CORFU



LOBELIA
LOBELIA



REYKJAVIK
REYKJAVIK



KRZEMIEŃ
FLINT



ARABIKA
ARABICA



KORA
TREE BARK






DIORYT
DIORITE

FRAME COLOURS


Every design/panel in the Fluffo FRAME collection is enclosed within an anodised aluminium frame – a lightweight, durable material valued for its strength and corrosion resistance.

Offered in seven colours, they pair with the fabrics to create a wide range of two-tone combinations, from refined colour dialogues to striking, high-contrast statements.

ANTRACYT ANTHRACITE (RAL 7015)		PESTO PESTO (RAL 6003)	
ATOL ATOLL (RAL 5021)		MARCEPAN MARZIPAN (RAL 9001)	
SODALIT SODALITE (RAL 5013)		ARKTYKA ARCTIC Anodised aluminium	
KORAL CORAL (RAL 3016)		FLUFFO FINISH 65 colours	

VIEW
THE COLOURS
FROM THE FLUFFO
PALETTE.





AVAILABLE FORMATS

Our large-format acoustic panels are available in 12 shapes and sizes. Custom designs can also be produced in bespoke sizes upon request.

- Maximum sizes:
- Frames with Fluffo CALM fabric: **2900 x 3000 mm.**
 - Frames with Fluffo VIVID fabric: **1400 x 3000 mm.**

MODEL	DIMENSIONS	SURFACE AREA	WEIGHT
FRAME 135x215	1350 x 2150 mm	2.90 m ²	19.7 kg
FRAME 110x175	1100 x 1750 mm	1.93 m ²	13.1 kg
FRAME 135x135	1350 x 1350 mm	1.82 m ²	12.4 kg
FRAME 67.5x215	675 x 2150 mm	1.45 m ²	9.9 kg
FRAME 110x110	1100 x 1100 mm	1.21 m ²	8.2 kg
FRAME 85x135	850 x 1350 mm	1.15 m ²	7.8 kg
FRAME 55x175	550 x 1750 mm	0.96 m ²	6.5 kg
FRAME 85x85	850 x 850 mm	0.72 m ²	4.9 kg
FRAME 42.5x135	425 x 1350 mm	0.57 m ²	3.9 kg
FRAME 60x90	600 x 900 mm	0.54 m ²	3.7 kg
FRAME 60x60	600 x 600 mm	0.36 m ²	2.4 kg
FRAME 30x90	300 x 900 mm	0.27 m ²	1.8 kg

F



I N F I N I T E D E S I G N C O N F I G U R A T I O N S

F

GEOMETRIC COMPOSITIONS




Same fabric
colour,
different frame
colours.



• Fluffo FRAME regular compositions



F



Same frame
colour,
different fabric
colours.






FREEFORM


COMPOSITIONS

• Fluffo FRAME irregular compositions


F




Same fabric
colour,
different frame
colours.



• Fluffo FRAME irregular compositions




F



Same frame
colour,
different fabric
colours.



F



INSTALLATION

- Fluffo Frame installation

Fluffo FRAME acoustic panels are installed using four dedicated mounting brackets fixed to the rear of the panel and wall hooks provided with the product. The brackets are fully adjustable, enabling precise positioning and levelling of the panel. Before installation, accurately measure the horizontal distance between the wall fixing points.



FLUFFO

